


LISY - DVOŘÁK
wood gluing presses



NL2

GLUE SPREADER


2 GLUE CYLINDERS



INPUT / OUTPUT CONVEYORS

2M
MODULES

FREQUENCY DRIVER SPEED CONTROL



control panel
Panel de control
ovládací panel

glue tank
tanque de pegamento
vanička na lepidlo

handwheel for thickness setting
volante para ajuste de espesor
otočná rukojeť pro nastavování tloušťky materiálu

electro gearbox drives
accionamiento de caja de cambios eléctrica
pohonné elektro-převodovky

output conveyor (disc version)
transportador de salida (versión de disco)
výstupní dopravník (talířková varianta)

machine frame
marco de la máquina
rám stroje

TECHNICAL PARAMETERS	NL2	
overall machine length	1 090	mm
overall machine height	1 374	mm
overall machine depth (width)	787	mm
weight	115	kg
input material thickness	0 - 100	mm
input fixed table length	750	mm
height setting	manual, control wheel	mm
stroke at 1 revolution	0,5	mm
height indicator functionality	0,01	mm
number of gluing cylinders	1 / 2	pcs
gluing cylinder diameter	170	mm
gluing cylinder length	340	mm
rubber hardness	65 - 80	ShA
feed speed	20 - 34	m/min
feed speed setting (frequency driver control)	by potentiometer	
power of electro gearboxes	2x 0,37	kW
electrical protection	IP 54	-
input conveyors	roller / disc	2m modules
output conveyors	roller / disc	2m modules

* machine equipment can be modified by client requirements individually

LISY - DVOŘÁK, s.r.o.

Kňovická 344

264 01 Sedlčany, Czech Republic

e-mail: info@lisy-dvorak.cz

web: www.lisy-dvorak.cz

GSM: **00420 732 240 341**

GSM: **00420 736 645 159**



<https://www.instagram.com/lisydvorak/>



<https://www.facebook.com/lisydvorak/>



<https://www.youtube.com/channel/UCz8HvcZz27siCo0CnglizOQ>